



PRODUCT INFORMATION

EXTRANOL MULTI-PURPOSE ATF

Overview

EXTRANOL MULTI-PURPOSE ATF is a premium automatic transmission fluid designed for new generation, electronically controlled transmissions. EXTRANOL MULTI-PURPOSE ATF meets most major car manufacturers' performance requirements. This fluid was once licensed for the now obsolete General Motors DEXRON III H and Ford Mercon requirements. This fluid is suitable for use in applications requiring Ford type CJ and H fluids. It can also be used for off-highway transmissions, power steering, and other hydraulic systems requiring an Allison C-4 fluid. Meets requirements of Allison TES-389. The product also meets the industrial hydraulic oil demands of Denison HFO, Vickers vane and Sundstrand piston pumps.

Features and Benefits

The product is formulated from special, high-quality base oils combined with viscosity index improvers, antioxidants, anti-wear agents, detergents and defoamers. The product contains special friction modifiers or lubricity agents to control the transition from full film to thin film lubrication as a vehicle's band and clutches are activated during shifting. This ensures consistent, smooth shifts under a broad range of driving conditions, temperatures, and transmissions.

Applications

EXTRANOL MULTI-PURPOSE ATF is suitable for make-up and refill in 2005 and earlier General Motors and Ford cars and light trucks. It also is recommended for make-up and refill in older vehicles requiring Mercon fluid, as well as Fords requiring an M2C138CJ or M2C166H fluid.

Typical Properties

PRODUCT CODE	505
Viscosity, cSt/40°C	34.49
Viscosity, cSt/100°C	7.62
Viscosity, cP -40°C	15400
Viscosity Index	175
Flash Point, COC °F	224
Pour Point, °C	-41
Color	Red
API Gravity	30.8
Specific Gravity	0.872

MADE IN USA.

www.extranol.com
info@extranol.com