



PRODUCT INFORMATION

SYNTHETIC BLEND MOTOR OIL «EXTRANOL» 5w-20 GF-5

Overview

SYNTHETIC BLEND PASSENGER CAR ENGINE OIL «EXTRANOL» 5w-20 GF-5 are specially formulated using synthetic and Group II base oils and high performance additive packages to provide superior performance in gasoline fueled and flex-fueled engines.

These oils are formulated for excellent oxidation stability and low temperature properties to insure protection during cold starts.

SYNTHETIC BLEND ENGINE OIL «EXTRANOL» 5w-20 GF-5 engine oils exceed the requirements of ILSAC GF-5 and are "Resource Conserving" for improved fuel economy.

Features and Benefits

- Uniquely formulation proven to help extend engine life
- Proven protection against sludge and engine wear
- Helps prevent the formulation of sludge and harmful deposits
- Contains frictional reducing additives
- Certified as API SN / Resource Conserving

Recommended For Applications

ILSAC GF-5

API SN, SM, SL, SJ

Ford WSS-M2C946-A

Ford WSS-M2C949-A

GM 6094M

TYPICAL PROPERTIES

PRODUCT CODE 590

PROPERTY	Extranol 5w-20 Syn blend
Viscosity, cSt @ 40°C	47.0
Viscosity, cSt @ 100°C	8.5
CCS, cP(@ -30°C)	6200
Viscosity Index	160
Flash Point, °C	195
Pour Point, °C	-41
Phosphorous, Wt. (%)	0.077
Zinc, Wt. (%)	0.085
NOACK, Wt. (%)	14.5
HT/HS, Cp @150°C	2.6

MADE IN USA.

www.extranol.com

info@extranol.com