



PRODUCT INFORMATION

FULL SYNTHETIC ENGINE OIL «EXTRANOL» 5w-40 EURO FORMULA

Overview

FULL SYNTHETIC ENGINE OIL EXTRANOL 5w-40 EURO FORMULA is designed to meet the most demanding lubrication requirements of today's naturally aspirated, turbo-charged and super-charged gasoline fueled engines.

Designed for the extended drain intervals and fuel economy of the latest European gasoline and diesel engines, this oil provides excellent oxidation stability, low temperature flow properties and enhanced fuel economy in high performance European vehicles.

FULL SYNTHETIC ENGINE OIL EXTRANOL 5w-40 EURO FORMULA, meets or exceeds a wide range of North American and European performance requirements.

Features and Benefits

- Protects against sludge and varnish formation
- Excellent viscosity and thermal breakdown properties at higher temperatures
- Protects against rust and bearing corrosion
- Superior Engine wear protection
- Reduced oil consumption do to lower volatility
- Excellent cold temperature properties for protection during cold starts

TYPICAL PROPERTIES PRODUCT CODE 553

PROPERTY	Extranol 5w-40 EURO
CCS, cP(@ -30°C)	6000
Viscosity, cSt @ 100°C	13.9
Viscosity, cSt @ 40°C	84.35
Viscosity Index	168
Pour Point, °C	-35
Phosphorous, Wt. (%)	0.0952
Zinc, Wt. (%)	0.1000
NOACK, Wt. (%)	12
HT/HS, Cp @150°C	3.8

MADE IN USA.

www.extranol.com
info@extranol.com